Immunol. Cell Biol. (1991) **69**, 427–430

Author Index

— A —

Abe, T., *see* Asami, M.
Abolhassani, M., Tillotson, J. K., Chang, J. and Chiao, J. W. Regulation of human lymphocyte proliferation by a tumour cell-derived DNA fraction 377
Adams, S. L., Barnett, D., Walsh, B. J., Pearce, R. J., Hill, D. J. and Howden, M. E. H. Human IgE-binding synthetic peptides of bovine β-lactoglobulin and α-lactalbumin. *In vitro* cross-reactivity of the allergens 191
Agrez, M. V., Chua, F. K., Fagan, K., Heath, J. W. and Ferguson, N. W. A human colon cancer cell line established from collagen matrix cultures transplanted into nude mice 205
Andrews, A. E., *see* Nash, A. D.
Andrews, P. V., *see* Eglezos, A.
Asakura, H., *see* Ishijima, S. A.
Asami, M., Owhashi, M., Abe, T. and Nawa, Y. Susceptibility of multipotent haemopoietic stem cell deficient W/W^v mice to *Plasmodium berghei*-infection 355
Ashman, R. B. and Papadimitriou, J. M. Chronic osteomyelitis as a consequence of systemic *Candida albicans* infection (Brief Comm.) 427
Ashman, R. B., Kay, P. H., Lynch, D. M. and Papadimitriou, J. M. Murine candidiasis: Sex differences in the severity of tissue lesions are not associated with levels of serum C3 and C5 7
Atkins, R. C., *see* Kerr, P. G.

— B —

Bakiera, B., *see* Manolios, N.
Barcham, G. J., *see* Nash, A. D.
Barnett, D., *see* Adams, S. L.
Bertwistle, N. G., *see* Layton, G. T.
Bielefeldt-Ohmann, H., *see* Fitzpatrick, D. R.
Biewenga, J., *see* Hameleers, D. M. H.
Blanden, R. V., *see* Kulkarni, A. B.
Blanden, R. V., *see* Kulkarni, A. B.
Boettcher, B., *see* Yang, N.
Bonfiglioli, R., *see* Fitzpatrick, D. R.
Boyd, R. L., *see* Eglezos, A.
Bradford, T., *see* Zola, H.
Brandon, M. R., *see* Nash, A. D.
Brodie, A. M. and Halliday, W. J. Suppressor cells and soluble factors from the spleens of UV-irradiated mice 199
Burgess, G. W., *see* Hall, R. A.

— C —

Chang, J., *see* Abolhassani, M.
Charlton, B. Guymer. R., Slattery, R. M. and Mandel. T. E. Intercellular adhesion molecule (ICAM-1) inhibition can induce tolerance *in vivo* 89
Cheers, C. Australian Society for Immunology in the 1980s 317
Chiao, J. W., *see* Abolhassani, M.
Chua, F. K., *see* Agrez, M. V.
Clancy, P., *see* Hall, R. A.
Colditz, I. G. The induction of plasma leakage in sheep skin by histamine, bradykinin, activated complement, platelet-activating factor and serotonin 215
Cooper, E. L., *see* Raftos, D. A.
Cummins, A. G., *see* Gibson, B. E.

— D —

d'Apice, A. J. F., *see* O'Connell, P. J.
Dalesandro, M. R., Skeath, J. B., Dorer, D. R., Snyder, M. M. and Owen, J. A. Temporal variations in the fine specificity of IgM anti-fluorescyl antibodies 243
Dorer, D. R., *see* Dalesandro, M. R.
Durr, F. E., *see* Ruszala-Mallon, V.

— E —

Eglezos, A., Andrews, P. V., Boyd, R. L. and Helme, R. D. Modulation of the immune response by tachykinins (Review) 285
Eglinton, B. A., *see* Gibson, B. E.
Emery, D. L., *see* McClure, S. J.
Esato, K., *see* Hamano, K.

— F —

Fagan, K., *see* Agrez, M. V.
Faull, R., *see* O'Connell, P. J.
Favaloro, E. J. CD-13 ('gp150'; aminopeptidase-*N*): Co-expression on endothelial and haemopoietic cells with conservation of functional activity 253
Ferguson, N. W., *see* Agrez, M. V.
Fitzpatrick, D. R., Wie, J., Webb, D., Bonfiglioli, R., Gardner, I. D., Mathews, J. D. and Bielefeldt-Ohmann, H. Preferental binding of *Chlamydia trachomatis* to subsets of human lymphocytes and induction of interleukin-6 and interferon-gamma 337

Fujikura, Y., *see* Hamano, K.
Fukuda, S., *see* Hamano, K.
Fukumoto, T., *see* Hamano, K.

— G —

Gardner, I. D., *see* Fitzpatrick, D. R.
Gatenby, P. A., *see* Olive, C.
Geczy, C. L., *see* Manolios, N.
Gibson, C. E., Eglinton, B. A., Penttila, I. A. and Cummins, A. G. Phenotype and activation of milk-derived and peripheral blood lymphocytes from normal and coeliac subjects 387
Greer, J. M. and Halliday, W. J. Distinctive molecular markers and biological activities in two tumour-specific murine T suppressor factors 135
Griffiths, M. and Keast, D. The effects of a leukaemia-controlling dose of acivicin on murine splenic lymphocytes *in vitro* and *in vivo* 395
Guymer, R., *see* Charlton, B.

— H —

Hall, R. A., Burgess, G. W., Kay, B. H. and Clancy, P. Monoclonal antibodies to Kunjin and Kokobera viruses 47
Halliday, W. J., *see* Brodie, A. M.
Halliday, W. J., *see* Greer, J. M.
Hamano, K., Fujikura, Y., Fukuda, S., Esato, K. and Fukumoto, T. The effect of intrathymic injection of donor blood on the graft versus host reaction and cardiac allograft survival in the rat 185
Hameleers, D. M. H., van der Ven, I., Biewenga, J. and Sminia, T. Mucosal and systemic antibody formation in the rat after intranasal administration of three different antigens 119
Heath, J. W., *see* Agrez, M. V.
Helme, R. D., *see* Eglezos, A.
Hill, D. J., *see* Adams, S. L.
Holáň, V., *see* Lipoldová, M.
Holdsworth, S. R., *see* Lowe, M. G.
Howden, M. E. H., *see* Adams, S. L.

— I —

Ishijima, S. A., Asakura, H. and Suzuta, T. Participation of cytoplasmic organelles in E-rosette formation 403

— J —

Jean-Francois, M. J. B., *see* Poskitt, D. C.
Johnston, S. C., *see* Layton, G. T.

— K —

Kay, B. H., *see* Hall R. A
Kay, P. H., *see* Ashman, R. B.
Keast, D., *see* Griffiths, M.
Kerlin, R. L. and Pike, B. L. Spontaneous and cytokine-inducible 'natural' immunoglobulin secreting cells in organized lymphoid tisues of mice 167
Kerr, P. G. and Atkins, R. C. Deoxyspergualin inhibits cytotoxic T lymphocytes but not NK or LAK cells 177
Kotlarski, I. To mark the 21st anniversary of the foundation of the Australian Society for Immunology 299
Kulkarni, A. B., Müllbacher, A. and Blanden, R. V. Functional analysis of macrophages, B cells and splenic dendritic cells as antigen-presenting cells in West Nile virus-specific murine T lymphocyte proliferation 71
Kulkarni, A. B., Müllbacher, A. and Blanden, R. V. Effect of high ligand concentration of West Nile virus-specific T cell proliferation 27
Kurosawa, Y., *see* Zola, H.

— L —

Lal, R. B. Monoclonal antibodies to secreted antigens of *Brugia malayi* define a cross-reactive non-phosphocholine determinant on helminth parasites 127
Layton, G. T., Johnston, S. C. and Bertwistle, N. G. Serum factors affecting the specificity of anticardiolipin antibodies 17
Lee, S-O. and Poretz, R. D. Hybrid myeloma cells which secrete heterodimeric IgG: A model to study the *N*-linked glycan 151
Lipoldová, M. and Holáň, V. Interleukin-2 activates the γ-interferon gene in newborn mice (Brief Comm.) 423
Lowe, M. G., Holdsworth, S. R. and Tipping, P. G. T lymphocyte participation in acute serum sickness glomerulonephritis in rabbits 81
Lumanglas, A. L., *see* Ruszala-Mallon, V.
Lynch, D. M., *see* Ashman, R. B.

— M —

MacArdle, P. J., *see* Zola, H.
Macdonald, L., *see* Poskitt, D. C.
Mackay, I. R. The 'Burnet Era' of immunology: Origins and influence 301
Mandel, T. E., *see* Charlton, B.
Manolios, N., Bakiera, B., Geczy, C. L. and Schrieber, L. Arachidonic acid metabolites in normal and autoimmune mice do not influence lymphocyte-high endothelial venule interactions 39
Mathews, J. D., *see* Fitzpatrick, D. R.
McClure, S. J., Wagland, B. M. and Emery, D. L. Effects of Freund's adjuvants on local, draining and circulating lymphocyte populations in sheep 361

Mitchell, G. F. Some highs of cellular immunology in the late 1960s, early 1970s: Personal reflections 313
Müllbacher, A., *see* Kulkarni, A. B.

— N —

Nash, A. D., Barcham, G. J., Brandon, M. R. and Andrews, A. E. Molecular cloning, expression and characterization of ovine TNFα 273
Nawa, Y., *see* Asami, M.
Nossal, G. J. V. Some landmarks in Australian immunology 327

— O —

O'Brien, P. M., Rothel, J. S., Seow, H-F. and Wood, P. R. Cloning and sequencing of the cDNA for ovine granulocyte-macrophage colony-stimulating factor (GM-SCF) (Brief Comm.) 51
O'Connell, P. J., Faull, R., Russ, G. R. and d'Apice, A. J. F. VLA-2 is a collagen receptor on endothelial cells 103
O'Neill, H. C. Identification of Class I H-2D^b molecules primarily expressed by B lymphocytes in murine spleen 95
O'Neill, H. C., Detection of Class I MHC antigens on glycosidase-treated cells (Brief Comm.) 145
O'Neill, H. C. Monoclonal antibodies which identify carbohydate-defined MHC Class I epitopes 159
Olive, C., Gatenby, P. A. and Sarjeantson, S. W. Analysis of T cell receptor V_α and V_β gene usage in synovia of patients with rheumatoid arthritis 349
Owen, J. A., *see* Dalesandro, M. R.
Owhashi, M., *see* Asami, M.

— P —

Papadimitriou, J. M., *see* Ashman, R. B.
Parish, C. R., *see* Weston, S. A.
Pearce, R. J., *see* Adams, S. L.
Penttila, I. A., *see* Gibson, B. E.
Pike, B. L, *see* Kerlin, R. L.
Poretz, R. D., *see* Lee, S-O.
Poskitt, D. C., Jean-Francois, M. J. B., Turnbull, S., Macdonald, L. and Yasmeen, D. The nature of immunoglobulin idiotypes and idiotype–anti-idiotype interactions in immunological networks (Review) 61

— Q —

Quinn, K. A. Acute immunization with EFP suppresses the formation of immune ascites in BALB/c mice 1

— R —

Raftos, D. A., Stillman, D. L. and Cooper, E. L. Interleukin-2 and phytohaemagglutinin stimulate the proliferation of tunicate cells 255
Raison, R. L., *see* Weston, K. M.
Rothel, J. S., *see* O'Brien, P. M.
Rowley, D. The early history of the Australian Society for Immunology 307
Russ, G. R., *see* O'Connell, P. J.
Ruszala-Mallon, V., Silva, J., Lumanglas, A. L., Durr, F. E. and Wang, B. S. Depression of cell-mediated immunity in plasmacytoma-bearing mice 11

— S —

Sarjeantson, S. W., *see* Olive, C.
Schrieber, L., *see* Manolios, N.
Seow, H-F., *see* O'Brien, P. M.
Shellam, G. R. The Australian Society for Immunology in the 1990s and beyond 323
Silva, J., *see* Ruszala-Mallon, V.
Singh, S. M., see Sodhi, A.
Skeath, J. B., *see* Dalesandro, M. R.
Slattery, R. M., *see* Charlton, B.
Sminia, T., *see* Hameleers, D. M. H.
Snyder, M. M., *see* Dalesandro, M. R.
Sodhi, A., Suresh, A. and Singh, S. M. *In vitro* activation of rGM-CSF derived bone marrow macrophages by cisplatin lipopolysaccharide 235
Stillman, D. L., *see* Raftos, D. A.
Suresh, A., *see* Sodhi, A.
Suzuta, T., *see* Ishijima, S. A.

— T —

Tellam, R. L., *see* Weston, S. A.
Tillotson, J. K., *see* Abolhassani, M.
Tipping, P. G., *see* Lowe, M. G.
Turnbull, S., *see* Poskitt, D. C.
Turner, K. J. Australian Society for Immunology: The 1970s 309

— V —

van der Ven, I., *see* Hameleers, D. M. H.

— W —

Wagland, B. M., *see* McClure, S. J.
Walsh, B. J., *see* Adams, S. L.
Wang, B. S., *see* Ruszala-Mallon, V.
Webb, D., *see* Fitzpatrick, D. R.
Weedon, H., *see* Zola, H.
Weston, K. M. and Raison, R. L. Low affinity binding of mouse immunoglobulin to human CD5+ B cells 261

Weston, S. A., Tellam, R. L. and Parish, C. R. Dextran sulfate induces changes in the free intracellular calcium ion concentration of a subpopulation of immature thymocytes 369
Wie, J., *see* Fitzpatrick, D. R.
Wood, P. R., *see* O'Brien, P. M.

— Y —

Yang, N. and Boettcher, B. Conversion of the human blood group H antigen to A antigen *in vitro* 111
Yasmeen, D., *see* Poskitt, D. C.
Yasui, H., *see* Zola, H.

— Z —

Zola, H., MacArdle, P. J., Bradford, T., Weedon, H., Yasui, H. and Kurosawa, Y. Preparation and characterization of a chimeric CD19 monoclonal antibody 411

Immunol. Cell Biol. (1991) **69**, 431–435

Subject Index

— A —

α-lactalbumin and β-lactoglobulin in cow's milk: cross-reactivity *in vitro* and binding of human IgE (Adams Barnett, Walsh, Pearce, Hill and Howden) 191

Acivicin: effects of a leukaemia-controlling dose on murine splenic lymphocytes *in vitro* and *in vivo* (Griffiths and Keast) 395

Activated complement, histamine, bradykinin, platelet-activating factor and serotonin: induction of plasma leakage in sheep skin by (Colditz) 215

Anti-fluorescyl IgM antibodies: temporal variations in the fine specificity of (Dalesandro, Skeath, Dorer, Snyder and Owen) 243

Antibody formation in the rat after intranasal administration of three different antigens (Hameleers, van der Ven, Biewenga and Sminia) 119

Anticardiolipin antibodies: serum factors affecting the specificity of (Layton, Johnston and Bertwistle) 17

Antigen conversion: H antigen to A antigen *in vitro* (Yang and Boettcher) 111

Antigenic ligand concentration: effect of MHC Class II and nominal West Nile virus antigens on West Nile virus-specific T cell proliferation (Kulkarni, Müllbacher and Blanden) 27

Arachadonic acid metabolites and lymphocyte-high endothelial venule interactions in normal and autoimmune mice (Manolios, Bakiera, Geczy and Schrieber) 39

Australian immunology: landmarks (Nossal) 327

Australian Society for Immunology: 21st anniversary of (Kotlarski) 299

Australian Society for Immunology: early history of (Rowley) 307

Australian Society for Immunology: the 1970s (Turner) 309

Australian Society for Immunology: the 1980s (Cheers) 317

Australian Society for Immunology: the 1990s and beyond (Shellam) 323

Autoimmune and normal mice: arachadonic acid metabolites and lymphocyte-high endothelial venule interactions (Manolios, Bakiera, Geczy and Schrieber) 39

— B —

B cells in patients with chronic lymphocytic leukaemia: low affinity binding of mouse immunoglobulin to (Weston and Raison) 261

B cells, macrophages and splenic dendritic cells as antigen-presenting cells: functional analysis in West Nile virus-specific murine T lymphocyte proliferation (Kulkarni, Müllbacher and Blanden) 71

B lymphocyte expression of Class I H-2D^b molecules in murine spleen (O'Neill) 95

B-lactoglobulin and a-lactalbumin in cow's milk: cross-reactivity *in vitro* and binding of human IgE (Adams, Barnett, Walsh, Pearce, Hill and Howden) 191

BALB/c mice: EPF immunization suppresses the formation of immune ascites (Quinn) 1

Bovine B-lactoglobulin and a-lactoglobulin: cross-reactivity *in vitro* and binding of human IgE (Adams, Barnett, Walsh, Pearce, Hill and Howden) 191

Bradykinin, histamine, activated complement, platelet-activating factor and serotonin: induction of plasma leakage in sheep skin by (Colditz) 215

Brugia malayi: monoclonal antibodies to secreted antigens define a cross-rective non-phosphocholine determinant on helminth parasites (Lal) 127

Burnet era of immunology (Mackay) 301

— C —

Candida albicans infection: chronic osteomyelitis as a consequence of (Brief Comm.) (Ashman and Papadimitriou) 427

Carbohydrate-defined MHC Class I epitopes: identification by monoclonal antibodies (O'Neill) 159

Cardiac allograft survival in the rat: effect of intrathymic injection of donor blood (Hamano, Fujikura, Fukuda, Esato and Fukumoto) 185

CD13 (gp150) co-expression on endothelial and haemopoietic cells with conservation of functional activity (Favaloro) 253

Cell-mediated immunity: depression of in plasmacytoma-bearing mice (Ruszala-Mallon, Silva, Lumanglas, Durr and Wang) 11

Cell–substrate adhesion receptor VLA-2 is a collagen receptor on endothelial cells (O'Connell, Faull, Russ and d'Apice) 103

Cellular immunology in the late 1960s, early 1970s (Mitchell) 313

Chimeric CD19 monoclonal antibody: preparation and characterization of (Zola, MacArdle, Bradford, Weedon, Yasui and Kurosawa) 411

Chlamydia trachomatis: preferential binding to subsets of human lymhocytes and induction of

interleukin-6 and interferon-gamma (Fitzpatrick, Wie, Webb, Bonfiglioli, Gardner, Mathews and Bielefeldt-Ohmann) 337
Chronic lymphocytic leukaemia: low affinity binding of mouse immunoglobulin to human CD5+ B cells in patients (Weston and Raison) 261
Chronic osteomyelitis as a consequence of systemic *Candida albicans* infection (Brief Comm.) (Ashman and Papadimitriou) 427
Cisplatin lipopolysaccharide: *in vitro* activation of rGM-CSF derived bone marrow macrophages by (Sodhi, Suresh and Singh) 235
Class I H-2D^b molecules primarily expressed by B lymphocytes in murine spleen (O'Neill) 95
Class I MHC antigens: detection on glycosidase-treated cells (Brief Comm.) (O'Neill) 145
Coeliac and normal subjects: phenotype and activation of milk-derived and peripheral blood lymphocytes (Gibson, Eglinton, Penntila and Cummins) 387
Collagen matrix cultures used to establish human colon cancer cells lines transplanted into nude mice (Agrez, Chua, Fagan, Heath and Ferguson) 205
Colon cancer cells lines (human) established from collagen matrix cultures and transplanted into nude mice (Agrez, Chua, Fagan, Heath and Ferguson) 205
Colony-stimulating factors: cloning and sequencing of cDNA of ovine granulocyte–macrophage colony-stimulating factor (Brief Comm.) (O'Brien, Rothel, Seow and Wood) 51
Cytokine-inducible and spontaneous 'natural' immunoglobulin-secreting cells in organized lymphoid tissues of mice (Kerlin and Pike) 167
Cytoplasmic organelles: participation in E-rosette formation (Ishijima, Asakura and Suzuta) 403

— D —

Deoxyspergualin inhibits cytotoxic T lymphocytes but not NK or LAK cells (Kerr and Atkins) 177
Dextran sulfate induces changes in the free intracellular calcium ion concentration of a subpopulation of immature thymocytes (Weston, Tellam and Parish) 369

— E —

E-rosette formation: participation of cytoplasmic organelles in (Ishijima, Asakura and Suzuta) 403
EPF immunization suppresses the formation of immune ascites in BALB/c mice (Quinn) 1

— F —

Freund's adjuvants: effects on local, draining and circulating lymphocyte populations in sheep (McClure, Wagland and Emery) 361

— G —

γ-interferon gene activation in newborn mice by interleukin-2 (Brief Comm.) (Lipoldová and Holáň) 423
Glomerulonephritis in rabbits: T lymphocyte participation in (Lowe, Holdsworth and Tipping) 81
Glycosidase-treated cells: detection of Class I MHC antigens on (Brief Comm.) (O'Neill) 145
gp150 (CD-13) co-expression on endothelial and haemopoietic cells with conservation of functional activity (Favaloro) 253
Graft versus host reaction in the rat: effect of intrathymic injection of donor blood (Hamano, Fujikura, Fukuda, Esato and Fukumoto) 185

— H —

Helminth parasites: cross-reactive non-phosphochline determinant defined by monoclonal antibodies to secreted antigens of *Brugia malayi* (Lal) 127
Heterodimeric IgG secreted by hybrid myeloma cells: a model to study the *N*-linked glycan (Lee and Poretz) 151
Histamine, bradykinin, activated complement, platelet- activating factor and serotonin: induction of plasma leakage in sheep skin by (Colditz) 215
Human blood group H antigen conversion to A antigen *in vitro* (Yang and Boettcher) 111
Human CD5+ B cells: low affinity binding of mouse immunoglobulin to (Weston and Raison) 261
Human colon cancer cell line established from collagen matrix cultures transplanted into nude mice (Agrez, Chua, Fagan, Heath and Ferguson) 205
Human IgE-binding synthetic peptides of bovine β-lactoglobulin and α-lactalbumin: *in vitro* cross-reactivity of the allergens (Adams, Barnett, Walsh, Pearce, Hill and Howden) 191
Human lymphocyte proliferation by a tumour cell-derived DNA fraction (Abolhassani, Tillotson, Chang and Chiao) 377
Hybrid myeloma cells which secrete heterodimeric IgG: a model to study the *N*-linked glycan (Lee and Poretz) 151

— I —

Idiotype–anti-idioytpe immunoglobulin interactions in immunological networks (Review) (Poskitt, Jean-Francois, Turnbull, MacDonald and Yasmeen) 61
IgM anti-fluorescyl antibodies: temporal variations in the fine specificity of (Dalesandro, Skeath, Dorer, Snyder and Owen) 243
Immune ascite formation: suppression by acute immunization with EPF in BALB/c mice (Quinn) 1
Immune response: modulation by tachykinins (Review) (Eglezos, Andrews, Boyd and Helme) 285
Immunoglobulin idiotypes and idiotype–anti-idiotype interactions in immunological networks (Review) (Poskitt, Jean-Francois, Turnbull, MacDonald and Yasmeen) 61
Immunoglobulin-secreting cells in organized lymphoid tissues of mice (Kerlin and Pike) 167
Intercellular adhesion molecule (ICAM-1) inhibition can induce tolerance *in vivo* (Charlton, Guymer, Slattery and Mandel) 89
Interferon-gamma and interleukin-6: induction of by *Chlamydia trachomatis* (Fitzpatrick, Wie, Webb, Bonfiglioli, Gardner, Mathews and Bielefeldt-Ohmann) 337
Interleukin-2 activates the γ-interferon gene in newborn mice (Brief Comm.) (Lipoldová and Holáň) 423
Interleukin-2 and phytohaemagglutinin stimulate the proliferation of tunicate cells (Raftos, Stillman and Cooper) 225
Interleukin-6 and interferon-gamma: induction of by *Chlamydia trachomatis* (Fitzpatrick, Wie, Webb, Bonfiglioli, Gardner, Mathews and Bielefeldt-Ohmann) 337
Intrathymic injection of donor blood: effect on the graft versus host reaction and cardiac allograft survival in the rat (Hamano, Fujikura, Fukuda, Esato and Fukumoto) 185

— K —

Kokobera and Kunjin viruses: monoclonal antibodies to (Hall, Burgess, Kay and Clancy) 47
Kunjin and Kokobera viruses: monoclonal antibodies to (Hall, Burgess, Kay and Clancy) 47

— L —

Leukaemia-controlling dose of acivicin: effects on murine splenic lymphocytes *in vitro* and *in vivo* (Griffiths and Keast) 395
Ligand concentration: effect on West Nile virus-specific T cell proliferation (Kulkarni, Müllbacher and Blanden) 27
Lymphocyte populations, local, draining and circulating: effects of Freund's adjuvants in sheep (McClure, Wagland and Emery) 361
Lymphocyte proliferation by a tumour cell-derived DNA fraction (Abolhassani, Tillotson, Chang and Chiao) 377
Lymphocyte-high endothelial venule interactions and arachadonic acid metabolites in normal and autoimmune mice (Manolios, Bakiera, Geczy and Schrieber) 39
Lymphocytes, milk-derived and peripheral: phenotype and activation of in normal and coeliac subjects (Gibson, Eglinton, Penttila and Cummins) 387

— M —

Macrophages, B cells and splenic dendritic cells as antigen-presenting cells: functional analysis in West Nile virus-specific murine T lymphocyte proliferation (Kulkarni, Müllbacher and Blanden) 71
MHC antigens (Class I): detection on glycosidase-treated cells (Brief Comm.) (O'Neill) 145
MHC Class I epitopes: identification by monoclonal antibodies (O'Niell) 159
Milk-derived and peripheral blood lymphocytes from normal and coeliac subjects: phenotype and activation of (Gibson, Eglinton, Penttila and Cummins) 387
Molecular cloning, expression and characterization of ovine TNFα (Nash, Barcham, Brandon and Andrews) 273
Monoclonal antibodies to Kunjin and Kokobera viruses (Hall, Burgess, Kay and Clancy) 47
Monoclonal antibodies to secreted antigens of *Brugia malayi* define a cross-reactive non-phosphocholine determinant on helminth parasites (Lal) 127
Monoclonal antibodies which identify carbohydrate-defined MHC Class I epitopes (O'Neill) 159
Monoclonal antibodies: detection of temporal variations in the fine specificity of IgM anti-fluorescyl antibodies (Dalesandro, Skeath, Dorer, Snyder and Owen) 243
Monoclonal antibody, chimeric CD19: preparation and characterization of (Zola, MacArdle, Bradford, Weedon, Yasui and Kurosawa) 411
Mucosal and systemic antibody formation in the rat after intranasal administration of three different antigens (Hameleers, van der Ven, Biewenga and Sminia) 119

Multipotent haemopoietic stem cell deficient W/W^v mice: susceptibility to *Plasmodium berghei* infection (Asami, Owhashi, Abe and Nawa) 355
Murine candidiasis: sex differences in the severity of tissue lesions and levels of serum C3 and C5 (Ashman, Kay, Lynch and Papadimitriou) 7
Murine splenic lymphocytes: effects of acivicin *in vitro* and *in vivo* (Griffiths and Keast) 395
Myeloma hybrid cells which secrete heterodimeric IgG: a model to study the *N*-linked glycan (Lee and Poretz) 151

— N —

N-linked oligosaccharides: heterodimeric IgG secreted by hybrid myeloma cells and the study of the *N*-linked glycan (Lee and Poretz) 151
Nasal-associated lymphoid tissue: systemic and mucosal antibody formation in the rat afer intranasal administration of three different antigens (Hameleers, van der Ven, Biewenga and Sminia) 119
Nude mice: transplantation of human colon cancer cell lines established from collagen matrix cultures (Agrez, Chua, Fagan, Heath and Ferguson) 205

— O —

Osteomyelitis, chronic, as a consequence of *Candida albicans* infection (Brief Comm.) (Ashman and Papadimitriou) 427
Ovine granulocyte–macrophage colony-stimulating factor: cloning and sequencing of cDNA of (Brief Comm.) (O'Brien, Rothel, Seow and Wood) 51
Ovine TNFα: molecular cloning, expression and characterization of (Nash, Barcham, Brandon and Andrews) 273

— P —

Peripheral and milk-derived blood lymphocytes from normal and coeliac subjects: phenotype and activation of (Gibson, Eglinton, Penttila and Cummins) 387
Phytohaemagglutinin and interleukin-2 stimulate the proliferation of tunicate cells (Raftos, Stillman and Cooper) 225
Plasma leakage induction in sheep skin by histamine, bradykinin, activated complement, plateletactivating factor and serotonin (Colditz) 215
Plasmacytoma-bearing mice: depression of cell-mediated immunity (Ruszala-Mallon, Silva, Lumanglas, Durr and Wang) 11
Plasmodium berghei infection: susceptibility of multipotent haemopoietic stem cell deficient W/W^v mice to (Asami, Owhashi, Abe and Nawa) 355
Platelet-activating factor, histamine, bradykinin, activated complement and serotonin: induction of plasma leakage in sheep skin by (Colditz) 215

— R —

Rabbits: T lymphocyte participation in acute serum sickness glomerulonephritis (Lowe, Holdsworth and Tipping) 81
Recombinant granulocyte macrophage colony-stimulating factor derived bone marrow macrophages: *in vitro* activation by cisplatin lipopolysaccharides (Sodhi, Suresh and Singh) 235
Rheumatoid arthritis: analysis of T cell receptor V_α and V_β gene usage in synovia of patients (Olive, Gatenby and Sarjeantson) 349

— S —

Serotonin, histamine, bradykinin, activated complement and platelet-activating factor: induction of plasma leakage in sheep skin by (Colditz) 215
Serum factors affecting the specificity of anticardiolipin antibodies (Layton, Johnston and Bertwistle) 17
Soluble factors and suppressor cells from the spleens of UV-irradiated mice (Brodie and Halliday) 199
Splenic dendritic cells, macrophages and B cells as antigen-pesenting cells: functional analysis in West Nile virus-specific murine T lymphocyte proliferation (Kulakarni, Müllbacher and Blanden) 71
Splenic lymphocytes in mice: effects of acivicin *in vitro* and *in vivo* (Griffiths and Keast) 395
Spontaneous and cytokine-inducible 'natural' immunoglobulin-secreting cells in organized lymphoid tissues of mice (Kerlin and Pike) 167
Suppressor cells and soluble factors from the spleens of UV-irradiated mice (Brodie and Halliday) 199
Systemic and mucosal antibody formation in the rat after intranasal administration of three different antigens (Hameleers, van der Ven, Biewenga and Sminia) 119

— T —

T cell proliferation: effect of high ligand concentration on West Nile virus-specific T cell proliferation (Kulkarni, Müllbacher and Blanden) 27

T cell receptor V_α and V_β gene usage in synovia of patients with rheumatoid arthritis (Olive, Gatenby and Sarjeantson) 349
T lymphocyte inhibition by deoxyspergualin (Kerr and Atkins) 177
T lymphocyte participation in acute serum sickness glomerulonephritis in rabbits (Lowe, Holdsworth and Tipping) 81
T suppressor factors: molecular markers and biological activities in two tumour-specific T suppressor factors (Greer and Halliday) 135
Tachykinins: modulation of immune response by (Review) (Eglezos, Andrews, Boyd and Helme) 285
Thymocytes: changes in the free intracellular calcium ion concentration induced by Dextran sulfate in an immature subpopulation of (Weston, Tellam and Parish) 369
Tissue lesions and murine candidiasis: sex diffences in the severity of (Ashman, Kay, Lynch and Papadimitriou) 7
Tumour cell-derived DNA fraction: regulation of human lymphocyte proliferation (Abolhassani, Tillotson, Chang and Chiao) 377
Tumour-specific T suppressor factors: molecular markers and biological activities (Greer and Halliday) 135
Tunicate cell proliferation stimulated by interleukin-2 and phytohaemagglutinin (Raftos, Stillman and Cooper) 225

— U —

UV-irradiated mice: suppressor cells and soluble factors from the spleen (Brodie and Halliday) 199

— V —

V_α and V_β gene usage in synovia of patients with rheumatoid arthritis (Olive, Gatenby and Sarjeantson) 349
VLA-2 is a collagen receptor on endothelial cells (O'Connell, Faull, Russ and d'Apice) 103

— W —

W/W^v mice, multipotent haemopoietic stem cell deficient: susceptibility to *Plasmodium berghei* infection (Asami, Owhashi, Abe and Nawa) 355
West Nile virus-specific murine T lymphocyte proliferation: functional analysis of macrophages, B cells and splenic dendritic cells as antigen-presenting cells in (Kulkarni, Müllbacher and Blanden) 71
West Nile virus-specific T cell proliferation: effect of high ligand concentration on (Kulkarni, Müllbacher and Blanden) 27